This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



Tomato Leaf DHS cDNA sequence

CGCAGAAACTCGCGGCGCGCAGTCTTGTTCCGTACATAATCTTGGTCTGCAATAATGGGAGAAGCTCTGAAGTACAGTATCATGGAC S ⋖ ليا യ Σ

TCAGTAAGATCGGTAGTTTTCAAAGAATCCGAAAATCTAGAAGGTTCTTGCACTAAAATCGAGGGCTACGACTTCAATAAAGGCGT ш T K I ں S 5 ш z ш \checkmark ட ∝

TAACTATGCTGAGCTGATCCAAGTCCATGGTTTCCACTGGTTTCCAAGCATCTAATCTTGGTGACGCCATTGCAATTGTTAATCAAA GDAIAI N N S F Q A G S Σ S

TGCTAGATTGGAGGCTTTCACATGAGCTGCCCACGGAGGATTGCAGTGAAGAAGAAGAAGATGTTGCATACAGAGAGTCGGTAACC ш ~ RDVAY ш ш ш S ပ P T E D ш S <u>۔</u> ب 3

TGCAAAATCTTCTTGGGGTTCACTTCAAACCTTGTTTCTTCTGGTGTTAGAGACACTGTCCGCTACCTTGTTCAGCACCGGATGGT GVRDTVRYL S S > _ _ N F T S G

TGATGTTGTGGTTACTACAGCTGGTGGTATTGAAGAGGATCTCATAAAGTGCCTCGCACCAACCTACAAGGGGGGACTTCTCTTTAC **5** EDLIKCLAPTYK ш I 5 G TTA

CTGGAGCTTCTCTACGATCGAAAGGATTGAACCGTATTGGTAACTTATTGGTTCCTAATGACAACTACTGCAAATTTGAGAATTG ວ ≻ N 0 Z م N L L V ഗ м П z ب 9 S

G ATCATCCCAGTITITGACCAAATGTATGAGGAGCAGATTAATGAGGAGGTTCTATGGACACCATCTAAAGTCATTGCTCGTCTGGG S ۵. __ > × ш Z П О w ш . **S** O 0

FIG.1A



ය م ں حبا > م R I z \prec M A Y > × Ш z

CACTTGGTGACATGCTATACTTCCATTCTTTCAAAAAGGGTGATCCAGATAATCCAGATCATTAATCCTGGTCTAGTCATAGACATT G а. Х _ __ z <u>О</u> . Ω G **×** ட S 工 щ,

GTAGGAGATATTAGGGCCATGAATGGTGAAGCTGTCCATGCTGGTTTGAGGAAGACAGGAATGATTATACTGGTGGAGGGCTGCC Σ G **⊢** ~ H A G L > V ш G Σ

TAAGCACCATGTTTGCAATGCCAATATGATGCGCAATGGTGCAGATTTTGCCGTCTTCATTAACACCGCACAAGAGTTTGATGGTA FAVFINTAQ G A D z ~ Σ Σ Z ∢ z ں

GTGACTCTGGTGCCCGTCCTGATGAAGCTGTATCATGGGGAAAGATACGTGGTGGTGCCAAGACTGTGAAGGTGCATTGTGATGCA GAKTVKVH ტ G K I R A V S W ш ۵. ⋖ 5

ACCATTGCATTTCCCATATTAGTAGCTGAGACATTTGCAGCTAAGAGTAAGGAATTCTCCCAGATAAGGTGCCAAGTTTGAACATT ပ ~ п О S щ. ILVAETFAAKSKE مـ V

GAGGAAGCTGTCCGTCCACCACACATATGAATTGCTAGCTTTTGAAGCCAACTTGCTAGTGTGCAGCACCATTTATTCTGCAAAA GACTAGTCCTCTTACCATATAGATAATGTATCCTTGTACTATGAGATTTTGGGTGTGTTTTGATACCAAGGAAAAATGTTTATTTGG CCATGTTATTTAGTTCTCTTCCTTCGAAAGTGAAGAGCTTAGATGTTCATAGGTTTTGAATTATGTTGGAGGTTGGTGATAACT <u> AAAACAATTGGATTTTTAATTTATTTTTTCTTGTT</u>

FIG. 1B



Arabidopsis DeoxyHypusine Synthase (DHS) Predicted Sequence

GAACTCCCAAAACCCTCTACTACTACACTTTCAGATCCAAGGAAATCAATTTTGTCATTCGAGCAACATGG E D D R V F S S V H S T V F K E S E S L E G K C GATAAAATCGAAGGATACGATTTCAATCAAGGAGTAGATTACCCAAAGCTTATGCGATCCATGCTCACCAC D K I E G Y D F N Q G V D Y P K L M R S M L T T G F Q A S N L G E A I D V V N Q M CAAAAATAAAAATTCCTTCTTTTTGTTTTCCTTTGTTTTTGGGTGAATTAGTAATGACAAAG**AG**TTTGAATT FE V L K L D W R L A D E T T V A E D C S E E E K ATCCATCGTTTAGAGAGTCTGTCAAGTGTAAAATCTTTCTAGGTTTCACTTCAAATCTTGTTTCATCTGGT N P S F R E S V K C K I F L G F T S N L V S S G GTTAGAGATACTATTCGTTATCTTGTTCAGCATCATATGGTTTGTGATTTTTGCTTTATCACCCTGCTTTT V R D T I R Y L V Q H H M TTATAGATGTTAAAATTTTCGAGCTTTAGTTTTGATTTCAATGGTTTTTCTGC**AG**GTTGATGTTATAGTCA CGACAACTGGTGGTGTTGAGGAAGATCTCATAAAATGCCTTGCACCTACATTTAAAGGTGATTTCTCTCTA T T T G G V E E D L I K C L A P T F K G D F S L CCTGGAGCTTATTTAAGGTCAAAGGGATTGAACCGAATTGGGAATTTGCTGGTTCCTAATGATAACTACTG P G A Y L R S K G L N R I G N L L V P N D N Y C K F E D W I I P I F D E M L K E Q K E E TCTTGCATCATTGACTTCGTTGGTGAATCCTTCTTTCTCTGGTTTTTCCTTGT**AG**AATGTGTTGTGGACTC CTTCTAAACTGTTAGCACGGCTGGGAAAAGAAATCAACAATGAGAGTTCATACCTTTATTGGGCATACAAG P S K L L A R L G K E I N N E S S Y L Y W A Y K **GT**ATCCAAAATTTTAACCTTTTTAGTTTTTTAATCATCCTGTGAGGAACTCGGGGATTTAAATTTTCCGCT TCTTGTGGTGTTTTGT**AG**ATGAATATTCCAGTATTCTGCCCAGGGTTAACAGATGGCTCTTTGGGGATATG M N. I P V F C P G L T D G S L G D M CTGTATTTTCACTCTTTTCGTACCTCTGGCCTCATCATCGATGTAGTACAAGGTACTTCTTTTACTCAATA LYFHSFRTSGLIDVVO AGTCAGTGTGATAAATATTCCTGCTACATCTAGTGCAGGAATATTGTAACTAGTAGTGCATTGTAGCTTTT CCAATTCAGCAACGGACTTTACTGTAAGTTGATATCTAAAGGTTCAAACGGGAGCTAGGAGAATAGCATAG GGGCATTCTGATTTAGGTTTGGGGCACTGGGTTAAGAGTTAGAGAATAATATCTTGTTAGTTGTTTATCA AACTCTTTGATGGTTAGTCTCTTGGTAATTTGAATTTTATCACAGTGTTTATGGTCTTTGAACCAGTTAAT GTTTTATGAAC**AG**ATATCAGAGCTATGAACGGCGAAGCTGTCCATGCAAATCCTAAAAAGACAGGGATGAT ILGGGLPKHHICNANMMRNGADY CTGTATTTATAAACACCGGGCAAGAATTTGATGGGAGCGACTCGGGTGCACGCCCTGATGAAGCCGTGTCT A V F I N T G Q E F D G S D S <u>G A R P D E A V</u> TGGGGTAAAATTAGGGGTTCTGCTAAAACCGTTAAGGTCTGCTTTTTAATTTCTTCACATCCTAATTTATA W G K I R G S A K T V K V C F L I S S H P N L Y TCTCACTCAGTGGTTTTGAGTACATATTTAATATTGGATCATTCTTGCAGGTATACTGTGATGCTACCATA GCCTTCCCATTGTTGGTTGCAGAAACATTTGCCACAAAGAGAGACCAAACCTGTGAGTCTAAGACTTAAGA ACTGACTGGTCGTTTTGGCCATGGATTCTTAAAGATCGTTGCTTTTTGATTTTACACTGGAGTGACCATAT AACACTCCACATTGATGTGGCTGTGACGCGAATTGTCTTCTTGCGAATTGTACTTTAGTTTCTCTCAACCT AAAATGATTTGCAGATTGTGTTTTCGTTTAAAACACAAGAGTCTTGTAGTCAATAATCCTTTGCCTTATAA AATTATTCAGTTCCAACAACACATTGTGATTCTGTGACAAGTCTCCCGTTGCCTATGTTCACTTCTCTGCG



GLNRIGNLLVPNDNYCKFEDWIIPIFDEMLKEQKEENVLWTPSKLLARLGKEINNESSYLYWAYKMNIPVFCPGLTDGSLGDM LYFHSFRTSGLIIDVVQDIRAMNGEAVHANPKKTGMIILGGGLPKHHICNANMMRNGADYAVFINTGQEFDGSDSGARPDEAV AEDCSEEEKNPSFRESVKCKI FLGFTSNLVSSGVRDTIRYLVQHHMVDVIVTTTGGVEEDLIKCLAPTFKGDFSLPGAYLRSK MEDDRVFSSVHSTVFKESESLEGKCDKIEGYDFNQGVDYPKLMRSMLTTGFQASNLGEAIDVVNQMFEFVLKLDWRLADETTV SWGKIRGSAKTVKVCFLISSHPNLYLTQWF

FIG.2B

3GTGGTGTTGAGGAAGATCTCATAAAATGCCTTGCACCTACATTTAAAGGTGATTTCTCTCTACCTGGAGCTTATTAAG GTCAAAGGGATTGAACCGAATTGGGAATTTGCTGGTTCCTAATGATAACTACTGCAAGTTTGAGGATTGGATCATTCCCA GAAATCAACAATGAGAGTTCATACCTTTATTGGGCATACAAGATGAATATTCCAGTATTCTGCCCAGGGTTAACAGATGG CTCTCTTAGGGATATGCTGTATTTTCACTCTTTTCGTACCTCTGGCCTCATCGATGTAGTACAAGATATCAGAGCTA GAACGGCGAAGCTGTCCATGCAAATCCTAAAAAGACAGGGATGATAATCCTTGGAGGGGGCTTGCCAAAGCACACATA CTTTGACGAGATGTTGAAGGAACAGAAAGAAGAAGAATGTGTTGTGGACTCCTTCTAAACTGTTAGCACGGCTGGGAAAA GTAATGCCAATATGATGCGCAATGGTGCAGATTACGCTGTATTTATAAACACCGGGCAAGAATTTGATGGGAGCGACTC GGGTGCACGCCCTGATGAAGC


-1G.2C

GGVEEDLIKCLAPTFKGDFSLPGAYLRSKGLNRIGNLLVPNDNYCKFEDWIIPIFDEMLKEQKEENVLWTPSKLLARLGKEIN NESSYLYWAYKMNIPVFCPGLTDGSLRDMLYFHSFRTSGLIIDVVQDIRAMNGEAVHANPKKTGMIILGGGLPKHHICNANMM RNGADYAVFINTGQEFDGSDSGARPDE

FIG.2D



Multiple DHS Sequence Alignments of Human, Arabidopsis, Tomato, Yeast, Neurospora (Fungi), and Methanococus (Archaeobacteria)


















Northern analysis of DHS on tomato flowers

Blossom

and

Bud Senescence




FIG.6



NORTHERN ANALYSIS OF DHS ON DEVELOPMENTAL STAGES OF TOMATO FRUIT

BREAKER PINK

RIPE (RED)

NORTHERN BLOT





Northern Analysis of DHS – 2M Sorbitol treated Tomato Leaves




FIG.8




NORTHERN ANALYSIS OF DHS TOMATO LEAF CHILLING EFFECTS

CHILLING 3 DAYS, 1 DAY, **REWARM** BEFORE CHILLING 2 DAYS CHILLING 6 DAYS CHILLING REWARMING (hr) REWARMING (hr) REWARMING (hr) 24 24 0 0 24 6 0 6 **RNA**

FIG.9A

Northern

FIG.9B





Canation DHS cDNA Sequence

GTCATTACAATGCATAGGATCATTGCACATGCTACCTTCCTCATTGCACTTGAGCTTGCCATA CTTTTGTTTTTGACGTTTGATAATAATACTATGAAAATATTATGTTTTTTCTTTTGTGTGTTG GTGTTTTTGAAGTTGTTTTTGATAAGCAGAACCCAGTTGTTTTACACTTTTACCATTGAACTA CTGCAATTCTAAAACTTTGTTTACATTTTAATTCCATCAAAGATTGAGTTCAGCATAGGAAAA AGGATGGAGGATGCTAATCATGATAGTGTGGCATCTGCGCACTCTGCAGCATTCAAAAAGTCG M E D A N H D S V A S A H S A A F K K S GAGAATTTAGAGGGGAAAAGCGTTAAGATTGAGGGTTATGATTTTAATCAAGGTGTAAACTAT ENLEGKSVKIEGYDFNQGVN TCCAAACTCTTGCAATCTTTCGCTTCTAATGGGTTTCAAGCCTCGAATCTTGGAGATGCCATT S K L L O S F A S N G F O A S N L GAAGTAGTTAATCATATGCTAGATTGGAGTCTGGCAGATGAGGCACCTGTGGACGATTGTAGC EVV.NHMLDWSLADEAPVDDC S GAGGAAGAGAGGGATCCTAAATTCAGAGAATCTGTGAAGTGCAAAGTGTTCTTGGGCTTTACT EEERDPKFRESVKCKVFLGF TCAAATCTTATTTCCTCTGGTGTTCGTGACACAATTCGGTATCTCGTGCAACATCATATGGTT SNLISSGVRDTIRYLV QHHM GACGTGATAGTAACGACAACCGGAGGTATAGAAGAAGATCTAATAAAAGGAAGATCCATCAAG IEEDLIKGRSIK TGG DVIVT Т TGCCTTGCACCCACTTTCAAAGGCGATTTTGCCTTACCAGGAGCTCAATTACGCTCCAAAGGG CLAPTFKGDFALPGAQL TTGAATCGAATTGGTAATCTGTTGGTTCCGAATGATAACTACTGTAAATTTGAGGATTGGATC L N R I G N L L V P N D N Y C K F E ATTCCAATTTTAGATAAGATGTTGGAAGAGCAAATTTCAGAGAAAATCTTATGGACACCATCG I P I L D K M L E E Q I S E K I L W P S Τ AAGTTGATTGGTCGATTAGGAAGAGAAATAAACGATGAGAGTTCATACCTTTACTGGGCCTTC K L I G R L G R E I N D E S ´S Y L Y W A F AAGAACAATATTCCAGTATTTTGCCCAGGTTTAACAGACGGCTCACTCGGAGACATGCTATAT K N N I P V F C P G L T D G S L G D M TTTCATTCTTTTCGCAATCCGGGTTTAATCGTCGATGTTGTGCAAGATATAAGAGCAGTAAAT FHSFRNPGL IVDVV ODIRA GGCGAGGCTGTGCACGCAGCGCCTAGGAAAACAGGCATGATTATACTCGGTGGAGGGTTGCCT G E A V H A A P R K T G M I I L G G G L P AAGCACCACATCTGCAACGCAAACATGATGAGAAATGGCGCCGATTATGCTGTTTTCATCAAC K H H I C N A N M M R N G A D Y A V F ACTGCCGAAGAGTTTGACGGCAGTGATTCTGGTGCTCGCCCCGATGAGGCTATTTCATGGGGC TAEEFDGSDSGARPDEAI AAAATTAGCGGATCTGCTAAGACTGTGAAGGTGCATTGTGATGCCACGATAGCTTTCCCTCTA KISGSAKTVKVHCDATIAFPL CTAGTCGCTGAGACATTTGCAGCAAAAAGAGAAAAAGAGAGGAAGAGCTGTTAAAACTTTTTT TFAAKREKERKSC GATTGTTGAAAAATCTGTGTTATACAAGTCTCGAAATGCATTTTAGTAATTGACTTGATCTTA TCATTTCAATGTGTTATCTTTGAAAATGTTGGTAATGAAACATCTCACCTCTTCTATACAACA GAGAGTACATTTTTGAGGTAAAAATATAGGATTTTTGTGCGATGCAAATGCTGGTTATTCCCT TGAAAAAAAAAAAAAAAA (1384 bps, not include Poly A tail and 5'end nocoding region.

FIG. 10

373 Amino Acid.)



Northern Analysis of WT AT Aging Leaves




FIG.11



Northern Analysis of Canation Petal (In Situ) DHS




FIG.12



Tomato eif5A

MSDEEH CATTTTGAGTCAAAGGCAGATGCTGGTGCCT&AAAAACTTTCCCACAGCAAGCTGGAACC H F E S K A D A G A S K T F P Q Q A G T ATCCGTAAGAATGGTTACATCGTTATCAAAGGCCGTCCCTGCAAGGTTGTTGAGGTCTCC IRKNGYIVIKGRPCKVVEVS ACTTCAAAAACTGGAAAACACGGACATGCTAAATGTCACTTTGTGGCAATTGACATTTTC T S K T G K H G H A K C H F V A I D I F AATGGAAAGAAACTGGAAGATATCGTTCCGTCCTCCCACAATTGTGATGTGCCACATGTT NGKKLEDIVPSSHNCDVPHV AACCGTACCGACTATCAGCTGATTGATATCTCTGAAGATGGTTTTGTCTCACTTCTTACT N R T D Y Q L I D I S E D G F V S L L T GAAAGTGGAAACACCAAGGATGACCTCAGGCTTCCCACCGATGAAAATCTGCTGAAGCAG ESGNTKDDLRLPTDENLLKQ GTTAAAGATGGGTTCCAGGAAGGAAAGGATCTTGTGGTGTCTGTTATGTCTGCGATGGGC V K D G F Q E G K D L V V S V M S A M G GAAGAGCAGATTAACGCCGTTAAGGATGTTGGTACCAAGAAT**TAG**TTATGTCATGGCAGC E E Q I N A V K D V G T K N ATAATCACTGCCAAAGCTTTAAGACATTATCATATCCTAATGTGGTACTTTGATATCACT CTAGAGAAAGTATTGGCTTTGAGCTTTTGACAGCACAGTTGAACTATGTGAAAATTCTAC

764 bps, not: including Poly(A) tail; 160 amino acids



Carnation-F5A

CTCTTTTACATCAATCGAAAAAAATTAGGGTTCTTATTTTAGAGTGAGA

GGCGAAAAATCGAACG**ATG**TCGGACGACGATCACCATTTCGAGTCATCGG M S D D D H H F E S S A CCGACGCCGGAGCATCCAAGACTTACCCTCAACAAGCTGGTACAATCCGC DAGASKTYPQQAGTIR AAGAGCGGTCACATCGTCATCAAAAATCGcCCtTGCAAGGtGGTTGAGGT K S G H I V I K N R P C K V V E V TTCTACCTCCAAGACTGGCAAGCACGGTCATGCCAAATGTCACTTTGTTG STSKTGKHGHAKCHFVA CCATTGACATTTCAACGGCAAGAAGCTGGAAGATATTGTCCCCTCATCC IDIFNGKKLEDIVPSS CACAATTGTGATGTTCCACATGTCAACCGTGTCGACTACCAGCTGCTTGA H N C D V P H V N R V D Y Q L L D TATCACTGAAGATGGCTTTCTTAGTCTGCTGACTGACAGTGGTGACACCA ITEDGFVSLLTDSGDTK AGGATGATCTGAAGCTTCCTGCTGATGAGGCCCTTGTGAAGCAGATGAAG D D L K L P A D E A L V K Q M K EGFEAGKDLILSVMCAM GGGAGAAGAGCAGATCTGCGCCGTCAAGGACGTTAGTGGTGGCAAGT**AG**A G E E Q I C A V K D V S G G K AGCTTTTGATGAATCCAATACTACGCGGTGCAGTTGAAGCAATAGTAATC TCGAGAACATTCTGAACCTTATATGTTGAATTGATGGTGCTTAGTTTGTT TTGGAAATCTCTTTGCAATTAAGTTGTACCAAATCAATGGATGTAATGTC TTGAATTTGTTTTATTTTTGTTTTGATGTTTGCTGtGATTGCATTATGCA AAAAAAAAAA

790 bps, 160 amino acids



Arabidopsis F5A

CTGTTACCAAAAATCTGTACCGCAAAATCCTCGTCGAAGCTCGCTGCTGCAACCATGTC CGACGAGGAGCATCACTTTGAGTCCAGTGACGCCGGAGCGTCCAAAACCTACCCTCAACA DEEHHFESSDAGASKTYPQQ AGCTGGAACCATCCGTAAGAATGGTTACATCGTCATCAAAAATCGTCCCTGCAAGGTTGT A G T I R K N G Y I V I K N R P C K V V TGAGGTTTCAACCTCGAAGACTGGCAAGCATGGTCATGCTAAATGTCATTTTGTAGCTAT EVSTSKTGKHGHAKCHFVAI TGATATCTTCACCAGCAAGAAACTCGAAGATATTGTTCCTTCTTCCCACAATTGTGATGT DIFTSKKLEDIVPSSHNCDV TCCTCATGTCAACCGTACTGATTATCAGCTGATTGACATTTCTGAAGATGGATATGTCAG P H V N R T D Y Q L I D I S E D G Y V S TTTGTTGACTGATAACGGTAGTACCAAGGATGACCTTAAGCTCCCTAATGATGACACTCT LLTDNGSTKDDLKLPNDDTL GCTCCAACAGATCAAGAGT**GGGTTTGATGATGGAAAAGA**TCTAGTGGTGAGTGTAATGTC L Q Q I K S G F D D G K D L V V S V M S AGCTATGGGAGAGGAACAGATCAATGCTCTTAAGGACATCGGTCCCAAG**TGA**GACTAACA AMGEEQINALKDIGPK AAGCCTCCCCTTTGTTATGAGATTCTTCTTCTTCTGTAGGCTTCCATTACTCGTCGGAGA TTATCTTGTTTTTGGGTTACTCCTATTTTGGATATTTAAACTTTTGTTAATAATGCCATC TTCTTCAACCTTTTCCTTCTAGATGGTTTTTATACTTCTTCT

754 bps, not including Poly(A) tail; 158 amino acids



Northern Analysis of WT AT DHS and F5A




FIG. 16



Northern Analysis of Ripening Tomato Fruit




FIG.17



Northern Analysis of sorbitol-treated tomato leaves




FIG.18



Northern Analysis of Tomato Flowers




FIG.19



Northern Analysis of chill-injured tomato leaves

Chilling (5°C) treated 6 days

Before rewarming (hr)
chilling 0 6 24

DHS

F5A

RNA

FIG.20








FIG.22

Wild-Type

α-3'DHS # 3

4.6 Weeks





FIG. 23





6.1 Weeks





FIG.





FIG. 27






FIG.28






FIG.29






FIG.30






FIG.31








FIG.32





ture: Apr. 7, 200 Picture: Apr. 11, 2000 Picture: Apr. 14, 2



ture: Mar. 24, 2000

FIG.33






FIG.34






FIG.35



Arabidopsis 3'-end DHS for antisense

Nucleotide and derived amino acid sequence
TGCACGCCCTGATGAAGCTGTGTCTTGGGGTAAAATTAGGGGTTCTGCTAAAACCGTTAAGGTCTGCTTTT
A R P D E A V S W G K I R G S A K T V K V C F

TAATTTCTTCACATCCTAATTTATATCTCACTCAGTGGTTTTGAGTACATATTTAATATTGGATCATTCTT L I S S H P N L Y L T Q W F

Nucleotide sequence

ARPDEAVSWGKIRGSAKTVKVCFLISSHPNLYLTQWF

Tomato 3'-end-Deoxyhupsine synthase used for antisense

GGTGCTCGTCCTGATGAAGCTGTATCATGGGGAAAGATACGTGGTGGTGCCAAGACTGTGAAGGTGCATTGTGATGCAAC **⊢** × G 5 Nucleotide and derived amino acid sequence ~ G K I 3 S

CATTGCATTTCCCATATTAGTAGCTGAGACATTTGCAGCTAAGAGTAAGGAATTCTCCCCAGATAAGGTGCCAAGTTTGAA ш S ¥ A A ش ш

CATTGAGGAAGCTGTCCTTCCGACCACATATGAATTGCTAGCTTTTGAAGCCAACTTGCTAGTGTGCAGCACCTTA ATGTTGGAGGTTGGTGATAACTGACTAGTCCTCTTACCATATAGATAATGTATCCTTGTACTATGAGATTTTGGGTGTGT TITCTCCCCTTCACACCATGTTATTTAGTTCTCTTCTTCGAAAGTGAAGAGCTTAGATGTTCATAGGTTTTGAATT

Nucleotide sequence

GGTGCTCGTCCTGATGAAGCTGTATCATGGGGAAAGATACGTGGTGGTGCCAAGACTGTGAAGGTGCATTGTGATGCAAC CATTGCATTTCCCATATTAGTAGCTGAGACATTTGCAGCTAAGAGTAAGGAATTC

ATCCTGTATGGTTCAAATTAATTATTTTCTCCCCTTCACCCATGTTATTTAGTTCTCTTCCTCTTCGAAAGTGAAGAG FCCCAGATAAGGTGCCAAGTTTGAACATTGAGGAAGCTGTCCTTCCGACCACACATATGAATTGCTAGCTTTTGAAGCCA ACTTGCTAGTGTGCAGCACCATTTATTCTGCAAAACTGACTAGAGAGCAGGGTATATTCCTCTACCCCGAGTTAGACGAC <u> STTAGATGTTCATAGGTTTTGAATTATGTTGGAGGTTGGTGATAACTGACTAGTCCTCTTACCATATAGATAATGTATCC</u> TGTACTATGAGATTTTGGGTGTGTTTGATACCAAGGAAAATGTTTATTTGGAAAACAATTGGATTTTAATTTAAAAA AAATTGNTTAAAAAAAAAAAAAAA



600 bp Arabidopsis Deoxyhypusine Synthase Probe

Primer1 (underlined)

GGTGGTGTTGAGGAAGATCTCATAAAATGCCTTGCACCTACATTTAAAGGTGATTTCTCTCTACCTGGAGC TTATTTAAG GGVEEDLIKCLAPTFKGDFSLPGA YLR GTCAAAGGGATTGAACCGAATTGGGAATTTGCTGGTTCCTAATGATAACTACTGCAAGTTTGAGGATTGGA **TCATTCCCA** SKGLNRIGNLL V P N D N Y C K F E D W I. TCTTTGACGAGATGTTGAAGGAACAGAAAGAAGAAGAGAATGTGTTGTGGACTCCTTCTAAACTGTTAGCACGG CTGGGAAAA I F D E M L K E Q K E E N V L W T P S K L L A R LGK GAAATCAACAATGAGAGTTCATACCTTTATTGGGCATACAAGATGAATATTCCAGTATTCTGCCCAGGGTT AACAGATGG EINNESSYLYWAYKMNIPVFCFGL T D G CTCTCTTAGGGATATGCTGTATTTTCACTCTTTTCGTACCTCTGGCCTCATCATCGATGTAGTACAAGATA

S L R D M L Y F H S F R T S G L I I D V V Q D I R A

TCAGAGCTA

TGAACGGCGAAGCTGTCCATGCAAATCCTAAAAAGACAGGGATGATAATCCTTGGAGGGGGCTTGCCAAAG CACCACATA

M N G E A V H A N P K K T G M I I L G G G L P K H H I

TGTAATGCCAATATGATGCGCAATGGTGCAGATTACGCTGTATTTATAAACACCGGGCAAGAATTTGATGG GAGCGACTC

GGGTGCACGCCCTGATGAAGC

GARPDE

Primer 2 (underlined)

483 bp Carnation Deoxyhypusine Synthase Probe

GAAGATCCATCAAGTGCCTTGCACCCACTTTCAAAGGCGATTTTGCCTTACCAGGAGCTCAATTACGCTCC
AAAGGGT

R R S I K C L A P T F K G D F A L P G A Q L R S K G

TGAATCGAATTGGTAATCTGTTGGTTCCGAATGATAACTACTGTAAATTTGAGGATTGGATCATTCCAATT
TTAGATA

L N R I G N L L V P N D N Y C K F E D W I I P I L D

AGATGTTGGAAGAGCAAATTTCAGAGAAAATCTTATGGACACCATCGAAGTTGATTGGTCGATTAGGAAGA GAAATAA

K M L E E Q I S E K I L W T P S K L I G R L G R E I

ACGATGAGAGTTCATACCTTTACTGGGCCTTCAAGAACAATATTCCAGTATTTTGCCCAGGTTTAACAGAC
GGCTCAC

N D E S S Y L Y W A F K N N I P V F C P G L T D G S

TCGGAGACATGCTATATTTTCATTCTTTTCGCAATCCGGGTTTAATCATCGATGTTGTGCAAGATATAAGA GCAGTAA

L G D M L Y F H S F R N P G L I I D V V Q D I R A V

ATGGCGAGGCTGTGCACGCAGCGCCTAGGAAAACAGGCATGATTATACTCGGTGGAGGGTTGCCTAAGCAC
CACATCT

N G E A V H A A P R K T G M I I L G G G L P K H H I

GCAACGCAAACATGATGAGAAATGGCGCCGATTATGCTGTTTTCATCAACACCG
C N A N M M R N G A D Y A V F I N T

A full-length cDNA clone was obtained by screening a carnation senescing petal cDNA library with this probe.






FIG.40A




FIG.40B